

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Tearney J. Guillermo and Brett E. Bouma	Attorney Docket No.: 036290/US/2 475387-17
Patent No. : US 7,310,150 B2	Serial No. : 10/501,268
Issue Date : December 18, 2007	Filed : January 10, 2003
Title : APPARATUS AND METHOD FOR LOW COHERENCE RANGING	

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

A Certificate of Correction under 35 U.S.C. § 254 is respectfully requested for the above-identified patent in order to correct Patent and Trademark Office errors made during the printing of the patent. The changes in the patent needed to correct the errors are as follows:

<u>Column, Line</u>	<u>Reads</u>	<u>Should Read</u>
Item (56), U.S. Patent Documents	[Omitted reference]	--6,549,801 4/2003 Chen et al.--
Item (56), Other Publications	“Park, B. Hyle et al., Comment on Optical-Fiber- Based Mueller Optical Coherence Tomography,” <i>Optical Letters</i> , vol. 29, No. 24, Dec. 14, 2004, pp. 2873- 2874.”	--Park, B. Hyle et al., Comment on Optical-Fiber-Based Mueller Optical Coherence Tomography,” <i>Optics Letters</i> , vol. 29, No. 24, Dec. 14, 2004, pp. 2873-2874.--
Item (56), Other Publications	“ “Image Enhancement in Optical Coherence Tomography Using	--“Image Enhancement in Optical Coherence Tomography Using Deconvolution” by Kulkarni, et

	Deconvolution” by Kulkarni, et al., in the <i>Electronics Letters</i> , vol. 4, pp. 125-236, Jan. 1999.”	al., in the <i>Electronics Letters</i> , vol. 4, pp. 125-236, Jan. 1999.--
Item (56), Other Publications	“ “Comparison of Glaucomatous Progression Between Untreated Patients With Normal tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures.” <i>Am. J. Ophthalmol</i> 126:487-97.”	--“Comparison of Glaucomatous Progression Between Untreated Patients With Normal tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures.” <i>Am. J. Ophthalmol</i> 126:487-97.--
Item (56), Other Publications	“Hazebroek, H.F. and W.M. Visser (1983). “Automated Laser Interferometric Ellipsometry and Precision Reflectometry.” <i>Journal of Physics E-Scientific Instruments</i> 16(7): 654-661.”	--Hazebroek, H.F. and W.M. Visser (1983). “Automated Laser Interferometric Ellipsometry and Precision Reflectometry.” <i>Journal of Physics E-Scientific Instruments</i> 16(7): 654-661.--
Item (56), Other Publications	“Hoeling, B.M., A.D. Fernandez, et al. (2000). “An optical coherence microscope for 3-dimensional image in developmental biology.” <i>Optics Express</i> 6(7): 136-146.”	--Hoeling, B.M., A.D. Fernandez, et al. (2000). “An optical coherence microscope for 3-dimensional imaging in developmental biology.” <i>Optics Express</i> 6(7): 136-146.--
Item (56), Other Publications	“Ismail, R., V. Tanner, et al. (2002). “Optical coherence tomography imaging of severe commotio retinae and associated macular hole.” <i>British Journal of Ophthalmology</i> 86(4): 473-4.”	--Ismail, R., V. Tanner, et al. (2002). “Optical coherence tomography imaging of severe commotio retinae and associated macular hole.” <i>British Journal of Ophthalmology</i> 86(4): 473-4.--
Item (56), Other Publications	“Jones, R.C. (1947). “A New Calculus for the Treatment of	--Jones, R.C. (1947). “A New Calculus for the Treatment of

	Optical Systems .5 A More General Formulation, and Description of Another Caculus” <i>Journal of Optical Society of America</i> 37(2):107-110.”	Optical Systems .5 A More General Formulation, and Description of Another Calculus” <i>Journal of Optical Society of America</i> 37(2):107-110.--
Item (56), Other Publications	“Kulkarni, M.D., T.G. van Leeuwen, et al. (1998). “Velocity-estimation accuracy and frame-rate limitations in color Doppler optical coherence tomography.” <i>Optics Letters</i> 23(13): 1057-1059.”	--Kulkarni, M.D., T.G. van Leeuwen, et al. (1998). “Velocity-estimation accuracy and frame-rate limitations in color Doppler optical coherence tomography.” <i>Optics Letters</i> 23(13): 1057-1059.--
Item (56), Other Publications	“Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. <i>Stress and Life</i> . 851: 169-178.”	--Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. <i>Stress of Life</i> . 851: 169-178.--
Item (56), Other Publications	“Smithies, D. J., T. Lindmo, et al. (1988) “Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation.” <i>Physics in Medicine and Biology</i> 43(10): 3025-3044.”	--Smithies, D. J., T. Lindmo, et al. (1988) “Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation.” <i>Physics in Medicine and Biology</i> 43(10): 3025-3044.--
Item (56), Other Publications	“Zhang, Y., M. Sato, et al. (2001). “Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement.” <i>Optics Communications</i> 192(3-6): 183-192.”	--Zhang, Y., M. Sato, et al. (2001). “Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement.” <i>Optics Communications</i> 192(3-6): 183-192.--

Item (56), Other Publications	“Froehly, J. et al. (2003) “Multiplexed 3D Imaging Using Wave-length Encoded Spectral Interferometry: A Proof of Principle” <i>Optics Communications</i> vol. 222, pp. 127-136.”	--Froehly, J. et al. (2003) “Multiplexed 3D Imaging Using Wave-length Encoded Spectral Interferometry: A Proof of Principle” <i>Optics Communications</i> vol. 222, pp. 127-136.--
Item (56), Other Publications	“Nadkarni, Seemantini K. et al (2005) “Charaterization of Atherosclerotic Plaques by Laser Speckle Imaging” <i>Circulation</i> vol. 112, pp. 885-892.”	--Nadkarni, Seemantini K. et al (2005) “Characterization of Atherosclerotic Plaques by Laser Speckle Imaging” <i>Circulation</i> vol. 112, pp. 885-892.--
Item (57), Line 5	“Certain exemplary arrangement can be provided”	--Certain exemplary arrangements can be provided--
Column 4, Line 63	“See,”	--See--
Column 5, Line 11	“FIG. 6 shows an offset fiber array are directed”	--FIG. 6 shows an offset fiber array directed--
Column 5, Line 23	“through the objective lens and focused”	--through the objective lens and focuses--
Column 5, Line 60	“image”	--image.--
Column 8, Line 22	“electro-macinetic radiation”	--electro-magnetic radiation--
Column 9, Line 3	“wherein the second arrangement including a third”	--wherein the second arrangement includes a third--

The above errors for which correction is requested under 35 U.S.C. § 254 were made in the printing of the patent or in the original application. The errors are considered sufficiently important to justify the processing of a Certificate of Correction under 35 U.S.C. § 254. A Form PTO-1050, in duplicate, is enclosed herewith.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication to Deposit Account No. 50-1266. A duplicate copy of this sheet is enclosed.

Favorable consideration of this Request is respectfully requested.

Respectfully submitted,

Date: May 23, 2008

By: 

Gary Abelev, Esq.
PTO Reg. No. 40,479
Attorney for Applicants
(212) 415-9371

Enclosures:

Form PTO-1050

4848-3838-1570\1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : US 7,710,150 B2
 DATED : December 18, 2007
 INVENTOR(S) : Tearney J. Guillermo and Brett E. Bourma

It is certified that errors appear in the above identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Column, Line</u>	<u>Reads</u>	<u>Should Read</u>
Item (56), U.S. Patent Documents	[Omitted reference]	--6,549,801 4/2003 Chen et al.--
Item (56), Other Publications	“Park, B. Hyle et al., Comment on Optical- Fiber-Based Mueller Optical Coherence Tomography,” <i>Optical Letters</i> , vol. 29, No. 24, Dec. 14, 2004, pp. 2873- 2874.”	--Park, B. Hyle et al., Comment on Optical- Fiber-Based Mueller Optical Coherence Tomography,” <i>Optics Letters</i> , vol. 29, No. 24, Dec. 14, 2004, pp. 2873- 2874.--
Item (56), Other Publications	“ “Image Enhancement in Optical Coherence Tomography Using Deconvolution” by Kulkarni, et al., in the <i>Electronics Letters</i> , vol. 4, pp. 125-236, Jan. 1999.”	--“Image Enhancement in Optical Coherence Tomography Using Deconvolution” by Kulkarni, et al., in the <i>Electronics Letters</i> , vol. 4, pp. 125-236, Jan. 1999.--
Item (56), Other Publications	“ “Comparison of Glaucomatous Progression Between Untreated Patients With Normal tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures.” <i>Am. J. Ophthalmol</i> 126:487-97.”	--“Comparison of Glaucomatous Progression Between Untreated Patients With Normal tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures.” <i>Am. J. Ophthalmol</i> 126:487-97.--

Item (56), Other Publications	<p>“Hazebroek, H.F. and W.M. Visser 91983). “Automated Laser Interferometric Ellipsometry and Precision Reflectometry.” <i>Journal of Physics E-Scientific Instruments</i> 16(7): 654-661.”</p>	<p>--Hazebroek, H.F. and W.M. Visser (1983). “Automated Laser Interferometric Ellipsometry and Precision Reflectometry.” <i>Journal of Physics E-Scientific Instruments</i> 16(7): 654-661.--</p>
Item (56), Other Publications	<p>“Hoeling, B.M., A.D. Fernandez, et al. (2000). “An optical coherence microscope for 3-dimensional image in developmental biology.” <i>Optics Express</i> 6(7): 136-146.”</p>	<p>--Hoeling, B.M., A.D. Fernandez, et al. (2000). “An optical coherence microscope for 3-dimensional imaging in developmental biology.” <i>Optics Express</i> 6(7): 136-146.--</p>
Item (56), Other Publications	<p>“Ismail, R., V. Tanner, et al. (2002). “Optical coherence tomography imaging of sever commotio retinae and associated macular hole.” <i>British Journal of Ophthalmology</i> 86(4): 473-4.”</p>	<p>--Ismail, R., V. Tanner, et al. (2002). “Optical coherence tomography imaging of severe commotio retinae and associated macular hole.” <i>British Journal of Ophthalmology</i> 86(4): 473-4.--</p>
Item (56), Other Publications	<p>“Jones, R.C. (1947). “A New Calculus for the Treatment of Optical Systems .5 A More General Formulation, and Description of Another Caculus” <i>Journal of Optical Society of America</i> 37(2):107-110.”</p>	<p>--Jones, R.C. (1947). “A New Calculus for the Treatment of Optical Systems .5 A More General Formulation, and Description of Another Calculus” <i>Journal of Optical Society of America</i> 37(2):107-110.--</p>
Item (56), Other Publications	<p>“Kulkarni, M.D., T.G. van Leeuwen, et al. (1998). “Velocity-estimation accuracy and frame-rate limitations in color</p>	<p>--Kulkarni, M.D., T.G. van Leeuwen, et al. (1998). “Velocity-estimation accuracy and frame-rate limitations in</p>

	Doppler optical coherence tomography.” <i>Optics Letters</i> 23(13): 1057-1059.”	color Doppler optical coherence tomography.” <i>Optics Letters</i> 23(13): 1057-1059.--
Item (56), Other Publications	“Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. <i>Stress and Life</i> . 851: 169-178.”	--Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. <i>Stress of Life</i> . 851: 169-178.--
Item (56), Other Publications	“Smithies, D. J., T. Lindmo, et al. (1988) “Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation.” <i>Physics in Medicine and Biology</i> 43(10): 3025-3044.”	--Smithies, D. J., T. Lindmo, et al. (1988) “Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation.” <i>Physics in Medicine and Biology</i> 43(10): 3025-3044.--
Item (56), Other Publications	“Zhang, Y., M. Sato, et al. (2001). “Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement.” <i>Optics Communications</i> 192(3-6): 183-192.”	--Zhang, Y., M. Sato, et al. (2001). “Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement.” <i>Optics Communications</i> 192(3-6): 183-192.--
Item (56), Other Publications	“Froehly, J. et al. (2003) “Multiplexed 3D Imaging Using Wave-length Encoded Spectral Interferometry: A Proof of Principle” <i>Optics Communications</i> vol. 222, pp. 127-136.”	--Froehly, J. et al. (2003) “Multiplexed 3D Imaging Using Wave-length Encoded Spectral Interferometry: A Proof of Principle” <i>Optics Communications</i> vol. 222, pp. 127-136.--
Item (56), Other Publications	“Nadkarni, Seemantini K. et al (2005) “Characterization of Atherosclerotic Plaques by Laser Speckle	--Nadkarni, Seemantini K. et al (2005) “Characterization of Atherosclerotic Plaques by Laser Speckle

	Imaging" <i>Circulation</i> vol. 112, pp. 885-892."	Imaging" <i>Circulation</i> vol. 112, pp. 885-892.--
Item (57), Line 5	"Certain exemplary arrangement can be provided"	--Certain exemplary arrangements can be provided--
Column 4, Line 63	"See,"	--See--
Column 5, Line 11	"FIG. 6 shows an offset fiber array are directed"	--FIG. 6 shows an offset fiber array directed--
Column 5, Line 23	"through the objective lens and focused"	--through the objective lens and focuses--
Column 5, Line 60	"image"	--image.--
Column 8, Line 22	"electro-macinetic radiation"	--electro-magnetic radiation--
Column 9, Line 3	"wherein the second arrangement including a third"	--wherein the second arrangement includes a third--

MAILING ADDRESS OF SENDER:

DORSEY & WHITNEY LLP
250 Park Avenue
New York, New York 10177

Patent No. US 7,310,150 B2

No. add'l. copies

@ .30 per page



FORM PTO-1050 (REV. 3-82)

4814-3267-2258\1